























	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	Contents	Order No./Quantity	Price				
Stain removal													
	FloorPro Tyre and Abrasion Marks Remover RM 776 Highly active special cleaner for removing rubber abrasion marks and marks caused by forklift trucks. Also effectively removes stubborn oil and soot contamination as well as polymer and wax coatings. Adhesive tape residue is efficiently removed.	Deep cleaning		undiluted	alkaline pH: 13.3	10 l	■	1	6.295-545.0				
						20 l	■	1	6.295-546.0				
						200 l	■	1	6.295-572.0				
	Universal Stain Remover RM 769 RM 769 Universal Stain Remover for all textile floor coverings, upholstery and hard surfaces - removes oil, tar, shoe polish, adhesive, etc., from solvent-resistant surfaces.	Manual		undiluted		500 ml	■	6	6.295-490.0				
Maintenance cleaning													
	FloorPro Multi Cleaner RM 756 High wetting ability, universal and very economical: RM 756 FloorPro Multi Everyday Cleaner for mechanical and manual cleaning of floors and surfaces.	Maintenance cleaning		0.25-1%	slightly alkaline pH: 9	1 l	■ ▲	6	6.295-913.0				
						2.5 l	■ ▲	4	6.295-915.0				
						10 l	■ ▲	1	6.295-914.0				
	FloorPro Universal Cleaner RM 743 All-purpose floor cleaner for cleaning both resilient floors and also hard surfaces. Suitable for streak-free cleaning of linoleum and fine stoneware tiles. Very low-foam. Free from tensides and readily separating.	Maintenance cleaning Manual		0.5-2% 0.5-2%	slightly alkaline pH: 10.5	1 l	■ ▲	12	6.295-293.0				
	FloorPro Shine Cleaner RM 730 Low-foam floor shine cleaner for all high-gloss hard and resilient floors. Especially suitable for cleaning high-gloss stone floors. RM 730 dries streak-free.	Scrubber driers - deep cleaning Scrubber driers - maintenance cleaning Manual		10-25% 1-3% 1%	slightly alkaline pH: 10.8	1 l	■ ▲	6	6.295-491.0				
	FloorPro Fine Stoneware Cleaner RM 753 Special cleaner for all fine stoneware tiles. Reliably dissolves oil, grease and mineral soiling. Does not impair anti-slip properties of tiles. Free from tensides and readily separating.	Deep cleaning Maintenance cleaning Manual		5-20% 3-5% 3%	slightly alkaline pH: 10.5	2.5 l	■ ▲	4	6.295-587.0				
						10 l	■ ▲	1	6.295-082.0				
Maintenance cleaning and care													
	FloorPro Wipe Care Extra RM 780 Powerful cleaning and care agent for maintenance cleaning of all water-resistant hard and resilient floors and coverings. Specially suited for gyms and multi-purpose halls, as expert report in accordance with DIN V 18032-2:2001-04 concerning anti-slip properties is available. FloorPro Wipe Care Extra RM 780 dries streak-free.	Maintenance cleaning Manual		0.5-2% 1-3%	slightly alkaline pH: 9	2.5 l	■	4	6.295-580.0				
						10 l	■	1	6.294-997.0				
						20 l	■	1	6.295-468.0				
	FloorPro Wipe Care RM 746 Active neutral soap cleaner. Produces an anti-slip and dirt-repellent care film. Polishes very easily. Produces a gleaming high gloss finish.	Maintenance cleaning Manual		1-3% 1-3%	slightly alkaline pH: 9.2	10 l	■	1	6.295-156.0				
	FloorPro Care Dispersion RM 784 Polymer dispersion for initial, interim and maintenance care of floor coverings. Forms an anti-slip, dirt-repellent and abrasion resistant protective film. High covering power.	Coating Spray cleaner Wipe restoration Wipe care		undiluted 20-30% 30-50% 1-3%	neutral pH: 7.6	5 l	■	2	6.295-817.0				















- Nitrilotriacetate-free (NTA-free).
- ▲ Easily separable in oil separator systems (ASF).

	Product description	Application	Primary mixture		Properties	Packaging size		Order No./ Quantity	Price
			Dosage			Contents			
Intermediate cleaning and care (e.g. spray cleaners, wipe restoration)									
	FloorPro Spray Cleaner RM 748 Wax-based slip-resistant spray emulsion for all coated hard surfaces. Repairs and restores coated floors. Removes heel marks and footprints, while applying a anti-slip finish.	Cleanern		undiluted	slightly alkaline pH: 8.5	10 l	■	1	6.295-162.0
	FloorPro Care Dispersion RM 784 Polymer dispersion for initial, interim and maintenance care of floor coverings. Forms an anti-slip, dirt-repellent and abrasion resistant protective film. High covering power.	Coating Spray cleaner Wipe restoration Wipe care		undiluted 20-30% 30-50% 1-3%	neutral pH: 7.6	5 l	■	2	6.295-817.0
									
Deep cleaning									
	FloorPro Intensive Deep Cleaner Extra RM 752 Extra powerful deep cleaning agent for removal of stubborn dirt and coatings of alkali-resistant floors. Removes even the most stubborn oil, grease and mineral stains.	Deep cleaning (care film) Deep cleaning (stubborn dirt)		20-50% 5-20%	alkaline pH: 13.2	10 l 200 l 1000 l	■ ▲	1 1 1	6.295-813.0 6.295-814.0 6.295-815.0
									
	FloorPro Allround Deep Cleaner RM 754 Highly efficient deep cleaning agent for easy removal of wax and polymer coatings on water-resistant and alkali-sensitive floors. No time-consuming rinsing required.	Deep cleaning (care film) Deep cleaning (stubborn dirt) Maintenance cleaning		15-50% 10-20% 1-3%	slightly alkaline pH: 10.5	10 l 200 l	■ ▲	1 1	6.295-811.0 6.295-812.0
									
	Intensive Deep Cleaner RM 750, NTA-free Powerful deep cleaner effectively removes the most stubborn stains, such as oil, grease, soot, blood and proteins. Low foam production. Particularly suited for floor cleaning by machine and for processing with hard surface cleaners. NTA free.	High-pressure cleaners Scrubber-driers - stripping Scrubber driers - deep cleaning Manual	1+3	1-5% 10-50% 5-50% 5-50%	alkaline pH: 13.7	10 l 200 l	■ ▲	1 1	6.295-539.0 6.295-540.0
	FloorPro Deep Cleaner RM 69 ecoefficiency Powerful cleaning agent for flooring and industrial floors effortlessly removes stubborn oil, grease, soot and mineral contamination. With the ecoefficiency formulation, it is especially economical, effective and environmentally friendly.	Deep cleaning Scrubber driers - deep cleaning (ecoefficiency) Maintenance cleaning Scrubber driers - maintenance cleaning Manual		10-25% 7-20% 0.5-1% 0.05-3.5% 0.5-1%	alkaline pH: 12.2	2.5 l 10 l 20 l 200 l	■ ▲	4 1 1 1	6.295-650.0 6.295-651.0 6.295-652.0 6.295-653.0
	FloorPro Deep Cleaner RM 69 Powerful cleaner, effortlessly removes stubborn oil, grease, soot and mineral soiling from floors and industrial floors.	Deep cleaning Maintenance cleaning Manual		10-25% 0.5-1% 0.5-1%	alkaline pH: 12.1	2.5 l 10 l 20 l 200 l 1000 l	■ ▲	4 1 1 1 1	6.295-582.0 6.295-120.0 6.295-415.0 6.295-416.0 6.295-123.0
	FloorPro Shine Cleaner, low-foam RM 755 Citrus-fresh low-foam floor shine cleaner for all hard floors. RM 755 dries completely streak-free. Ideal for high-gloss stone floors.	Deep cleaning Maintenance cleaning Manual		10-25% 1-3% 1%	alkaline pH: 12	2.5 l 10 l 20 l 200 l 1000 l	■ ▲	4 1 1 1 1	6.295-846.0 6.295-174.0 6.295-409.0 6.295-176.0 6.295-177.0
	FloorPro Deep Cleaner, acidic RM 751 Acidic deep cleaner for floor cleaners. Effectively removes cement film, deposits and residue, e.g. limescale, rust, beer or milk residues. Ideal for final cleaning on building sites.	Deep cleaning Maintenance cleaning Manual		5-25% 1-5% 0.5-1%	acidic pH: 0.7	2.5 l 10 l 200 l	■	4 1 1	6.295-586.0 6.295-129.0 6.295-130.0

■ Nitritotriacetate-free (NTA-free).

▲ Easily separable in oil separator systems (ASF).



	Product description	Application	Primary mixture	Dosage	Properties	Packaging size	Contents	Order No./Quantity	Price
	FloorPro Escalator Cleaner RM 758 Intensive hard floor cleaner for escalators and travelators additionally protects the machine and escalator materials from corrosion. Removes oil, grease and mineral contamination. For escalators manufactured by Krone, Otis, Fujitel, Schindler, Mitsubishi, CNIM, DONG, YANG, HITACHI and TOSHIBA among others.	Escalator cleaning		10-40%	neutral pH: 6.7	20 l	■ ▲ 1	6.295-408.0	
Supplement deep cleaning									
	Foam Blocker RM 761 The Foam Blocker RM 761 reduces foaming in waste water tanks and increases the device's duration of use. Compatible with all machines.	Wet and dry vacuum cleaners Spray extraction machines Carpet cleaners Floor cleaning units Parts cleaners		0.5% 0.5% 0.5% 0.5% 0.5%		2.5 l	■ 1	6.291-389.0	
Disinfection									
	Disinfectant Cleaner RM 732 Disinfectant cleaning agent. With bactericidal, fungicidal and limited antiviral properties. Offers very good cleaning effect. DVG-listed. Use biocides safely. Always read the label and product information before use. ³⁾	High-pressure cleaners Maintenance cleaning Spray units Manual		1-3% 1-3% 1-3% 1-3%	slightly alkaline pH: 9.9	5 l 200 l	1 1	6.295-596.0 6.295-417.0	
	Disinfectant RM 735 Effective, neutral disinfectant. With bactericidal, fungicidal and limited viricidal properties (e.g. hepatitis B). VAH/DGHM and DVG-listed. Use biocides safely. Always read the label and product information before use. ^{3) 5)}	High-pressure cleaners Spray units Manual		0.75-2% 0.75-2% 0.75-2%	neutral pH: 7.6	2.5 l 5 l	■ 4 ■ 1	6.295-585.0 6.295-597.0	
Care and protection									
	FloorPro Protect Dispersion Extra RM 782 Extra robust polymer coating for water-resistant floors. Excellent covering power, adhesion, slip resistance and abrasion resistance. Increased resistance to alcohol and disinfectant.	Coating		undiluted	slightly alkaline pH: 8.6	5 l	■ 2	6.295-816.0	 
	FloorPro Care Dispersion RM 784 Polymer dispersion for initial, interim and maintenance care of floor coverings. Forms an anti-slip, dirt-repellent and abrasion resistant protective film. High covering power.	Coating Spray cleaner Wipe restoration Wipe care		undiluted 20-30% 30-50% 1-3%	neutral pH: 7.6	5 l	■ 2	6.295-817.0	 
	FloorPro Crystallising Agent RM 749 Crystallising liquid for treating and hardening calcareous floors such as marble, terrazzo and cast stone. The crystallised floor is then harder and more wear-resistant.	Crystallising		undiluted	acidic pH: 0.8	10 l	■ 1	6.295-284.0	
	FloorPro High Gloss Crystallising Agent, powder RM 775 Crystallising powder for treating and hardening marble and terrazzo floors. After crystallisation, the floor has an attractive high gloss and is harder and more resistant to wear.	Crystallising		undiluted	acidic pH: 1.4	5 kg	■ 1	6.295-117.0	






³⁾Included in the 7th DVG list of disinfectants for the food industry of June 2011.




⁵⁾Included in the VAH list of disinfectants of 1 April 2012 (mhp Verlag GmbH Wiesbaden).

■ Nitrilotriacetate-free (NTA-free).

▲ Easily separable in oil separator systems (ASF).

Product description		Dosing Pressure range	Dispensing volume	Extendable	Dimensions (L x W x H)	Weight	Contents	Order No./ Quantity	Price
Dosing aids									
	DS 2 Dosing Unit DVGW certified dosing unit for filling floor cleaning machines and buckets and for preparation of HD/HDS primary mixtures. Includes backflow preventer according to DIN EN 1717.	1.7-3.5 bar	0.3-25%	14 l/min	■	355 x 300 x 210 mm	1.86 kg	1	6.394-653.0
	DS 3 Cleaning Agent Dosing System After connecting to a tap, cleaning agent can be filled into the fresh water tank diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	2-6 bar	0.2-13.5%	15 l/min	■	390 x 390 x 150 mm	3.85 kg	1	2.641-811.0

Product description		Suitable for bulk size	Dimensions (L x W x H)	Weight	Contents	Order No./ Quantity	Price
Dispensing aids							
	Container valve, 5 l Practical aid for efficient filling and dosing of cleaning agents from containers.	5 l	85 x 48 x 40 mm	0.02 kg	1	6.394-819.0	
	Container valve, 10 l Practical aid for efficient filling and dosing of cleaning agents from containers.	10 l	60 x 90 x 70 mm	0.04 kg	1	6.394-758.0	
	Container valve, 20 l Practical aid for efficient filling and dosing of cleaning agents from containers.	20 l	75 x 110 x 60 mm	0.04 kg	1	6.394-759.0	
	Drum tap, 200 l For dispensing cleaning agents from drums.	200 l	150 x 100 x 65 mm	0.08 kg	1	6.412-438.0	
	Drum pump, 200 l Practical pump for dosed and efficient dispensing of cleaning agents from drums. Accurate and easy to use.	200 l	1560 x 175 x 90 mm	1.1 kg	1	6.291-108.0	

Product description		Pressure	Filling volume	Material	Dispensing volume	Dimensions (L x W x H)	Weight	Contents	Order No./ Quantity	Price
Spray units										
	Cleaning Agent Sprayer Easy and convenient to use cleaning agent sprayer with sturdy plastic container and comfortable carrying strap for cleaning agent and disinfectant application.	3 bar	5 l	Plastic	0.46-1.22 l/min	520 x 200 x 200 mm	1.8 kg	1	6.394-255.0	
	EK 1 Cleaning Agent Sprayer Mobile and compact: low-pressure spray unit for effective dispensing of cleaning agent for wide area coverage. With integrated manual pump, ergonomic pump handle and level control.	0.5-6 bar	10 l	Stainless steel	0.78 l/min	640 x 285 x 270 mm	4.7 kg	1	6.394-628.0	
	Telescopic spray lance Accessory for a long reach for use with EK 1 Cleaning Agent Sprayer. Extendable from 860 to 1520 mm including nozzle for precise application.					875 x 45 x 20 mm	0.37 kg	1	6.393-313.0	
	Pump spray bottle 1 litre pump spray bottle - including pump and pressure tank - easy, uniform spraying for cleaning or crystallising.		1 l	Plastic	0.22 -0.38 l/min	195 x 140 x 310 mm	0.56 kg	1	6.394-409.0	