

NT 30/1 TACT L

Rugged, durable components and strong suction power: the NT 30/1 Tact wet and dry vacuum cleaner with innovative Tact filter cleaning system and 30-litre container, bumper and metal castors.



Order no.

1.148-201.0

- PES flat pleated filter
- Metal castors
- Antistatic preparation

Technical data

EAN code		4039784973299
Supply voltage	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container content	l	30
Container material		Plastic
Rated input power	W	1380
Standard nominal width		ID 35
Rubber power cable length	m	7.5
Sound pressure level	dB(A)	69
Weight without accessories	kg	13.5
Weight incl. packaging	kg	17.9
Dimensions (L × W × H)	mm	560 × 370 × 580

Equipment

Suction hose	m	2.5 / with bend
Suction tube	piece(s) × m / mm	2 × 0.55 / 35 / Stainless steel
Filter bag	piece(s)	1 / Fleece
PE plastic bag for dust-free disposal	piece(s)	1
Wet/dry floor nozzle	mm	360
Crevice nozzle		■
Automatic cut-out features at max. filling quality		■
Antistatic preparation		■
Flat pleated filter		PES
Filter cleaning		Tact Filter Clean
Sturdy bumper		■
Protection class		II
Stop swivel castor		■

■ included in the scope of supply.



Rugged container with bumpers and metal castors.

- Sturdy metal castors guarantee good manoeuvrability and unrestricted mobility on construction sites
- The rugged container protects the machine from bumps and knocks.



Flexible hose and power cable storage

- Enables secure fixing of hoses of different lengths and diameters.
- The power cable is always stored safely for transport.



Detachable filter casing

- With the detachable filter casing, removal and replacement of the filter is dust-free.
- It is impossible to insert the flat pleated filter incorrectly.

ACCESSORIES FOR NT 30/1 TACT L

1.148-201.0



		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flat pleated filter, PES				
Wet & Dry flat pleated filter	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	<input checked="" type="checkbox"/>
Flat pleated filter, paper				
Dry flat pleated filter	2	6.904-367.0	Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	<input type="checkbox"/>
Flat pleated filter, PTFE				
Ultimate flat pleated filter	3	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	<input type="checkbox"/>
BENDS				
Bend, plastic				
Bend Adv	4	2.889-170.0	Ergonomic bend for the new clip system.	<input checked="" type="checkbox"/>
Bend	5	2.889-148.0	Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	<input type="checkbox"/>
Bend Adv, electrically conductive	6	2.889-168.0	Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	<input type="checkbox"/>
DN 40 bend	7	2.889-171.0	Bend for the new clip system in nominal size DN 40.	<input type="checkbox"/>
Bend, electroconductive, NW40	8	2.889-172.0	Bend for the new clip system in nominal diameter DN 40. In electrically conductive version. Especially suitable in event of large quantity of fine dust.	<input type="checkbox"/>
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle, advanced plastic, DN 35	9	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	<input checked="" type="checkbox"/>
Wet/dry floor nozzle, plastic as standard, DN 35	10	6.906-512.0	Wet/dry floor nozzle made from plastic in DN 35 for wet and dry vacuum cleaners. Fitted with side rollers, brush strips and squeegees. Working width: 300 mm.	<input type="checkbox"/>
Wet/dry floor nozzle, aluminium, DN 35	11	6.906-384.0	All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
Wet and dry floor nozzle, plastic Adv, DN 35, 400 mm	12	2.889-118.0	Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. The squeegee and brush can be replaced quickly and easily.	<input type="checkbox"/>
Wet/dry floor nozzle, plastic Adv, DN 40	13	2.889-153.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.	<input type="checkbox"/>
Wet/dry floor nozzle, standard plastic, DN 35	14	2.889-173.0	300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 30/1 TACT L

1.148-201.0



		Order no.	Description	
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle, standard plastic, DN 40	15	2.889-174.0	Standard floor nozzle, anthracite, in nominal diameter 40, with brush strips and squeegees. Suitable for all wet and dry applications.	<input type="checkbox"/>
Crevice nozzles				
Crevice nozzle, DN 35, 225 mm	16	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	<input checked="" type="checkbox"/>
Crevice nozzle NT Tact DN 40	17	2.889-160.0	Crevice nozzle ID 40, for new Tact range.	<input type="checkbox"/>
All-purpose brushes				
All-purpose brush	18	6.900-425.0	All-purpose brush PPN_Bristle	<input type="checkbox"/>
Car cleaning nozzles				
Car nozzle	19	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	<input type="checkbox"/>
Rubber suction tools, nose 45°				
Rubber suction tool, nose 45°	20	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	21	6.902-105.0	45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
Combi-nozzles, dry				
Combi-nozzle, DN 35, 270 mm	22	6.906-511.0	Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
Suction brushes				
Suction brush	23	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	<input type="checkbox"/>
SUCTION TUBES				
Suction tubes, stainless steel				
Set suction tube stainless steel NW35 55	24	2.889-192.0	Stainless steel suction tube set (2 × 0.55 m)	<input checked="" type="checkbox"/>
Set suction tube stainless steel NW40 55	25	2.889-194.0		<input type="checkbox"/>
Suction tubes, metal				
Suction tube set, chrome-plated, NW 35 550 mm	26	2.889-191.0	Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	<input type="checkbox"/>
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	27	2.889-134.0	2.5 m suction hose in DN 35 with new bayonet and clip fastener for wet and dry vacuum cleaners.	<input checked="" type="checkbox"/>
Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0	28	2.889-135.0	4 m suction hose with new bayonet and clip fastener.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 30/1 TACT L 1.148-201.0



	Order no.	Description	
SUCTION HOSES			
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)			
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	29	2.889-136.0	Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m. <input type="checkbox"/>
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	30	2.889-137.0	4 m suction hose with new bayonet and clip fastener. Electrically conductive. <input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0	31	2.889-138.0	4 m suction hose with new bayonet and clip fastener. <input type="checkbox"/>
Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0	32	2.889-139.0	Suction hose with new bayonet and clip fastener. Length: 2.5 m. <input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0	33	2.889-140.0	Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m. <input type="checkbox"/>
Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	34	2.889-141.0	4 m, electrically conductive suction hose with new bayonet and clip fastener. <input type="checkbox"/>
Suction hose, NT, DN 40, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	35	2.889-142.0	Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long. <input type="checkbox"/>
Extension hose, T/NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	36	2.889-145.0	Extension hose for new clip system ID 35. Length: 2.5 m. <input type="checkbox"/>
Extension hose, NT, DN 40, length 2.5 m, clip 2.0, connecting adapter	37	2.889-146.0	Extension hose for new clip system ID 40. Length: 2.5 m. <input type="checkbox"/>
Extension hose, T/NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, connecting adapter	38	2.889-343.0	2.5 m extension hose in electrically conductive design in DN 35 for new clip system. <input type="checkbox"/>
Repair kits			
Repair kit ID 35	39	2.889-149.0	Repair kit ID 35 for the new clip system. <input type="checkbox"/>
Repair kit ID 40	40	2.889-150.0	Repair kit ID 40 for the new clip system. <input type="checkbox"/>
FACADE AND SOLAR PANEL CLEANING			
Telescopic lances			
Telescopic lance TL 10 H	41	4.762-611.0	Up to 10 m reach: hybrid telescopic lance TL 10 H. Comprising carbon-glass fibre mix and suitable for multifunctional use. Simple retraction and extension thanks to quick-release fasteners. <input type="checkbox"/>
Telescopic lance TL 10 C	42	4.762-612.0	Carbon fibre telescopic lance TL 10 C. With up to 10 m reach and practical quick-release fasteners. Multifunctional use for cleaning facades, windows or solar panels. <input type="checkbox"/>

Available accessories.

ACCESSORIES FOR NT 30/1 TACT L 1.148-201.0



		Order no.	Description	
FACADE AND SOLAR PANEL CLEANING				
Telescopic lances				
TL vacuum cleaner adapter	43	9.751-306.0	TL suction cup for 10 and 14 m long telescopic lances comprising suction bend connection (DN 35, DN 40) and connection for the suction nozzles.	<input type="checkbox"/>
FILTER T/ NT				
Flat pleated filter HEPA, dust class H				
HEPA-14 flat pleated filter	44	6.904-242.0	HEPA-14 (H14) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids.	<input type="checkbox"/>
Safety/HEPA flat pleated filter	45	6.907-671.0	Safety/HEPA flat pleated filter made from PES/PTFE fibre material with a red label. Certified for dust class H. For vacuuming hazardous dusts, coarse dirt and liquids.	<input type="checkbox"/>
Coarse dirt filter for wet vacuuming				
Coarse dirt filter for wet and dry vacuum cleaners	46	6.904-287.0	Coarse dirt filter with perforated metal plate and foam seal to protect the turbines of most single-motor wet and dry vacuum cleaners from the Tact and Ap class from Kärcher.	<input type="checkbox"/>
Plastic sacks for dust-free disposal				
Plastic bag for dust-free disposal, 10 x , NT 30/1, NT 40/1, NT 50/1	47	2.889-158.0	PE plastic sack for dust-free disposal.	<input type="checkbox"/>
Fabric filter				
Candle filter Wood, NT 30/1, NT 40/1, NT 50/1	48	2.414-000.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	<input type="checkbox"/>
Membrane filter, NT 30/1, NT 40/1, NT 50/1	49	2.889-281.0	Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	<input type="checkbox"/>
Fleece filter bags				
Fleece filter bags, 5 x , NT 30/1	50	2.889-154.0	Fleece filter bag with 30-litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	<input type="checkbox"/>
CONNECTING SLEEVES				
Connection adapter C ID (clip to cone)				
Adapter clip DN 35 on cone DN 35	51	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	<input type="checkbox"/>
Adapter clip DN 40 to cone DN 40	52	5.407-006.0	For connecting small nozzles and suction tubes with cone DN 40: Adapter clip system DN 40. Ideal for vehicle interior cleaning tasks, with no need to connect additional nozzles.	<input type="checkbox"/>
Connection adapter for power tools, clip-on, electrically conductive				
Tool collar DN 35, clip-on	53	2.889-151.0	Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	<input type="checkbox"/>
TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR VACUUM CLEANERS				
Universal trade and industrial set	54	2.637-595.0	Wet and dry accessory kit (DN 35) for Kärcher vacuum cleaners for use in trade and industry. The trade set comprises a multi-purpose brush, a crevice nozzle, an upholstery nozzle, a combi floor nozzle and a wet floor nozzle.	<input type="checkbox"/>
Car cleaning accessory kit	55	2.862-166.0	Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.	<input type="checkbox"/>
OTHER ACCESSORIES NT				
Drilling dust nozzle	56	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR NT 30/1 TACT L 1.148-201.0



		Order no.	Description	
OTHER ACCESSORIES NT				
Attachment kit for CS 40 Me cyclone preseparator	57	2.863-027.0	The attachment kit for the CS 40 Me cyclone preseparator for wet and dry vacuum cleaners is a specially developed, highly efficient accessory for fine dust applications on constructions sites or in industrial applications.	<input type="checkbox"/>
Adapter clip new on clip old DN 35	58	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>
Adapter connection, electroconductive, for NT hoses with bayonet connection 1.0	59	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

Available accessories.