

## NT 30/1 AP TE L

Ideal for working with power tools thanks to the integrated socket with automatic start/stop: Wet and dry vacuum cleaner NT 30/1 Ap Te L. Compact vacuum cleaner in the middle class.



**Order no.** 1.148-231.0

- Semi-automatic filter cleaning
- Power outlet with automatic on/off switch
- Connection adapter for power tools

### Technical data

<b>EAN code</b>		4054278048208
<b>Supply voltage</b>	<b>Ph / V / Hz</b>	1 / 220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	74
<b>Vacuum</b>	<b>mbar / kPa</b>	273 / 27.3
<b>Container content</b>	<b>l</b>	30
<b>Container material</b>		Plastic
<b>Rated input power</b>	<b>W</b>	1380
<b>Standard nominal width</b>		ID 35
<b>Cable length</b>	<b>m</b>	7.5
<b>Sound pressure level</b>	<b>dB(A)</b>	70
<b>Weight without accessories</b>	<b>kg</b>	11.8
<b>Weight incl. packaging</b>	<b>kg</b>	16.8
<b>Dimensions (L × W × H)</b>	<b>mm</b>	525 × 370 × 560

### Equipment

<b>Suction hose</b>	<b>m</b>	2.5 / with bend
<b>Suction tube</b>	<b>piece(s) × m</b>	2 × 0.55 / Metal
<b>Filter bag</b>	<b>piece(s)</b>	1 / Fleece
<b>Wet/dry floor nozzle</b>	<b>mm</b>	300
<b>Crevice nozzle</b>		■
<b>Power tool connection adapter</b>		■
<b>Automatic cut-out features at max. filling quality</b>		■
<b>Automatic switch-on/off for electric devices</b>		■
<b>Flat pleated filter</b>		Paper
<b>Filter cleaning</b>		ApClean (semi-automatic filter cleaning)
<b>Protection class</b>		I
<b>Stop swivel castor</b>		■

■ included in the scope of supply.



### Power outlet with automatic on/off switch

- The connected power tool activates the vacuum cleaner via the integrated automatic ON/OFF function.
- The vacuum cleaner only works when the power tool is in operation.



### Semi-automatic filter cleaning

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.



### Flexible hose and power cable storage

- Enables secure fixing of hoses of different lengths and diameters.
- Transport-proof storage of the power cable.

## ACCESSORIES FOR NT 30/1 AP TE L

### 1.148-231.0



	Order no.	Description	
<b>FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>			
<b>Flat pleated filter, paper</b>			
Dry flat pleated filter	1 6.904-367.0	Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	■
<b>Flat pleated filter, PES</b>			
Wet & Dry flat pleated filter	2 6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	□
<b>Flat pleated filter, PTFE</b>			
Ultimate flat pleated filter	3 6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
<b>BENDS</b>			
<b>Bend, plastic</b>			
Bend Adv	4 2.889-170.0	Ergonomic bend for the new clip system.	■
Bend	5 2.889-148.0	Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
Bend Adv, electrically conductive	6 2.889-168.0	Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	□
DN 40 bend	7 2.889-171.0	Bend for the new clip system in nominal size DN 40.	□
Bend, electroconductive, NW40	8 2.889-172.0	Bend for the new clip system in nominal diameter DN 40. In electrically conductive version. Especially suitable in event of large quantity of fine dust.	□
<b>SUCTION NOZZLES</b>			
<b>Floor nozzles</b>			
Wet/dry floor nozzle, standard plastic, DN 35	9 2.889-173.0	300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	■
Wet/dry floor nozzle, advanced plastic, DN 35	10 2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	□
Wet/dry floor nozzle, plastic Adv, DN 40	11 2.889-153.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.	□
Wet/dry floor nozzle, standard plastic, DN 40	12 2.889-174.0	Standard floor nozzle, anthracite, in nominal diameter 40, with brush strips and squeegees. Suitable for all wet and dry applications.	□
<b>Crevice nozzles</b>			
Crevice nozzle, DN 35, 225 mm	13 2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
<b>Car cleaning nozzles</b>			
Car nozzle	14 6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 30/1 AP TE L

### 1.148-231.0



		Order no.	Description	
<b>SUCTION TUBES</b>				
<b>Suction tubes, metal</b>				
Suction tube set, chrome-plated, NW 35 550 mm	15	2.889-191.0	Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	■
<b>Suction tubes, stainless steel</b>				
Suction tube	16	6.902-081.0	Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	□
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	17	2.889-134.0	2.5 m suction hose in DN 35 with new bayonet and clip fastener for wet and dry vacuum cleaners.	■
Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0	18	2.889-135.0	4 m suction hose with new bayonet and clip fastener.	□
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	19	2.889-136.0	Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	20	2.889-137.0	4 m suction hose with new bayonet and clip fastener. Electrically conductive.	□
Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0	21	2.889-138.0	4 m suction hose with new bayonet and clip fastener.	□
Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0	22	2.889-139.0	Suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0	23	2.889-140.0	Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	□
Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	24	2.889-141.0	4 m, electrically conductive suction hose with new bayonet and clip fastener.	□
<b>Repair kits</b>				
Repair kit ID 35	25	2.889-149.0	Repair kit ID 35 for the new clip system.	□
<b>FACADE AND SOLAR PANEL CLEANING</b>				
<b>Telescopic lances</b>				
Telescopic lance TL 10 H	26	4.762-611.0	Up to 10 m reach: hybrid telescopic lance TL 10 H. Comprising carbon-glass fibre mix and suitable for multifunctional use. Simple retraction and extension thanks to quick-release fasteners.	□
Telescopic lance TL 10 C	27	4.762-612.0	Carbon fibre telescopic lance TL 10 C. With up to 10 m reach and practical quick-release fasteners. Multifunctional use for cleaning facades, windows or solar panels.	□
TL vacuum cleaner adapter	28	9.751-306.0	TL suction cup for 10 and 14 m long telescopic lances comprising suction bend connection (DN 35, DN 40) and connection for the suction nozzles.	□

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 30/1 AP TE L 1.148-231.0



	Order no.	Description		
<b>FILTER T/ NT</b>				
<b>Fabric filter</b>				
Membrane filter, NT 30/1, NT 40/1, NT 50/1	29	2.889-281.0	Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	<input type="checkbox"/>
<b>Fleece filter bags</b>				
Fleece filter bags, 5 x , NT 30/1	30	2.889-154.0	Fleece filter bag with 30-litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	<input type="checkbox"/>
<b>CONNECTING SLEEVES</b>				
<b>Connection adapter C ID (clip to cone)</b>				
Adapter clip DN 35 on cone DN 35	31	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	<input type="checkbox"/>
Adapter clip DN 40 to cone DN 40	32	5.407-006.0	For connecting small nozzles and suction tubes with cone DN 40: Adapter clip system DN 40. Ideal for vehicle interior cleaning tasks, with no need to connect additional nozzles.	<input type="checkbox"/>
<b>Adapter for electric power tools, screwable</b>				
Adapter for electric power tools, screwable, ID 35	33	5.453-016.0	3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
<b>OTHER ACCESSORIES NT</b>				
Drilling dust nozzle	34	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Adapter clip new on clip old DN 35	35	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.